

# Timber Mart

[www.timbermartwpc.com](http://www.timbermartwpc.com)

## Click-N-Lock - Stone Polymer Composite Tiles (SPC)

Talk about creating an everlasting impression. Transform your space with our Stone Polymer Composite Tiles. Our tile collections offer a wide range of options from Stone to Wood finishes. These tiles are meticulously designed for their rich texture and feel to look like real wood and stone. It's innovative Wel-Lock™ technology enables the tiles to be laid on existing floor, effortlessly.

And not just the looks, it's impressive engineering ensures that the floors get all round protection making them completely stain, scratch and wear resistant without compromising on beauty. Easy to clean and maintain, Welspun Flooring SPC tiles are ready for whatever life throws on it.

With designs that appear like real wood, the True Floors Collection brings out wooden and vogue styles that are not only visually grand but also are stain resistant and water proof. So now spills and stains will be a thing of the past. And now with GermiProtect™, Welspun tiles are now UV coated that protects it from mold, bacteria and germs.



# STOCK COLLECTION



**SHF00183**



**SHF00182**



**WHF00058**



**SHF00164**



**SHF00280**




**SHF00181**



**SHF00279**



**WHF00004**



**SHF00172**


NEW COLLECTION



**WHF00003**



**WHF00007**



**SHF00272**



**SHF00252**



**SHF00249**



**SHF00190**



**SHF00178**




**SHF00177**



**SHF00222**



**SHF00230**



**SHF00222-A**

OLD COLLECTION





**Timber Mart**

**WHF00058**

[www.timbermartwpc.com](http://www.timbermartwpc.com)

**SHF00164**



**Timber Mart**

**SHF00280**

[www.timbermartwpc.com](http://www.timbermartwpc.com)

**SHF00181**



**WHF00004**



**SHF00172**

**SHF00279**



**WHF00003**

[www.timbermartwpc.com](http://www.timbermartwpc.com)

**WHF00007**





**SHF00272**

**SHF00252**



**SHF00249**

**SHF00190**

## NEW COLLECTION

### SPC SPECIFICATIONS

#### PERFORMANCE AND SPECIFICATIONS

##### Specifications

Collection	: SPC Collection
Thickness	: 4mm
Wear Layer Thickness	: 0.5mm
Size	: 18.11 x 122 cm
Box Quantity	: 10 Planks / 2.209 m <sup>2</sup> per box
IXPE / Backing	: 1mm
Bevel	: Micro Bevel

##### Performance Test and Treatment

Testing Description	Testing Procedure
Resistant to Chemicals	ASTM F925
Heat Stability	ASTM F1514
Light Stability	ASTM F1515
Curling	ISO 23999
Short term Indentation	ASTM F1914
Size & Squareness by Dial Gauge method	ASTM F2421
Critical Radiant Flux	ASTM E648
Smoke Density Flaming	ASTM E662
Abrasion Resistance S42	ASTM D4060
Abrasion Resistance S39	ASTM F510
Static of Coefficient	Wheel C1028
Static Indentation	EN ISO 24343-1:2012
Resistance of Impact	ASTM F1265
Castor Chair	ISO 4918
Rolling load	ASTM F2753
Electrostatic Propensity	AATCC 134
Stain Test	EN 438-2:2016
SCS Global Services	Floor Score
SIM Scratch	SIM Scratch
NALFA 3.4 Stain/ Cleanability	NALFA 3.4 – Stain/ Cleanability

##### Advantages

- Health Floor™ Anti-microbial
- Water proof
- Dust free installation
- Quiet underfoot
- Cushion effect
- Stain protect
- Quick installation
- Fire resistant
- Glue free
- Slip resistant surface
- Easy to maintain
- Noise free cancellation


##### Certifications and Standards



## OLD COLLECTION

### SPECIFICATIONS

Thickness	4mm
Wear Layer Thickness	0.5mm
Plank Sizes	177.8 x1219.2 mm
Bevel	Micro Bevel
No. of planks/box	10
Installation Method	Click-N-Lock



# Timber Mart

[www.timbermartwpc.com](http://www.timbermartwpc.com)